

Figure 1. CDOW and CSU 2005 reaches of the middle Yampa River (courtesy to P. Martinez and R. Anderson for graphics).





Figure 2. Northern pike total length frequency for the Juniper Springs section of the middle Yampa River in 2005 compared to the northern pike total length frequency for the same section in 2004. (Courtesy to John Hawkins for 2004 graph).





Figure 3. Northern pike total length frequency for the Maybell section of the middle Yampa River in 2005 compared to the northern pike total length frequency for the same section in 2004. (Courtesy to John Hawkins for 2004 graph).





Figure 4. Northern pike total length frequency for the Lily Park section of the middle Yampa River in 2005 compared to the northern pike total length frequency for the same section in 2004. (Courtesy to John Hawkins for 2004 graph).




Figure 5. Colorado Division of Wildlife (CDOW) CPUE (number of northern pike/hour) for Reach 1 through Reach 5, across Pass 1 through Pass 4 in the middle Yampa River, 2005.




Figure 6. Colorado State University (CSU) CPUE (number of northern pike/hour) for Reach 1 through Reach 5, across Pass 1 through Pass 9 in the middle Yampa River, 2005.




Figure 7. Yampa River near Maybell mean daily discharge April 1 – July 21, 2005, compared to the same time period in 2004. River passes in 2005 are highlighted over time.




Figure 8. Smallmouth bass capture locations (n=48) by river mile and reach for the middle Yampa River, 2005.




Figure 9. Smallmouth bass total length frequency for all individuals captured (n=46) by pass for the middle Yampa River, 2005.




Figure 10. Colorado pikeminnow capture locations (n=26) by river mile and reach for the middle Yampa River, 2005.




Figure 11. Colorado pikeminnow total length frequency for all individuals captured (n=21) by pass, for the middle Yampa River, 2005. One total length for the Colorado pikeminnow mortality is not included.




Figure 12. Roundtail chub individual capture locations (n=76) by river mile and reach for the middle Yampa River, 2005.




Figure 13. Roundtail chub total length frequency for all individuals captured (n=71) for the middle Yampa River, 2005.







Figure 14. Black bullhead, black crappie, bluegill, and channel catfish total length frequencies for all individuals captured in the middle Yampa River, 2005.