

**RECOVERY PROGRAM
FY 2018-2019 SCOPE OF WORK for:**

Recovery Program Project Number: 126(a)

Removal of Non-native Fish in the Upper Colorado River between Grand Valley Water User's Dam [Government Highline Diversion Dam] near Palisade, Colorado, and Potash, Utah

Reclamation Agreement number: R15PG00083

Reclamation Agreement term: October 1, 2014 – Sept. 30, 2019

Note: Recovery Program FY18-19 scopes of work are drafted in May 2017. They often are revised before final Program approval and may subsequently be revised again in response to changing Program needs. Program participants also recognize the need and allow for some flexibility in scopes of work to accommodate new information (especially in nonnative fish management projects) and changing hydrological conditions.

Lead agency: U.S. Fish and Wildlife Service
Grand Junction Fish and Wildlife Conservation Office
Submitted by: Travis Francis, Fishery Biologist
Dale Ryden, Project Leader
Address: 445 West Gunnison Ave.
Grand Junction, CO 81501
Phone: (970) 628-7204
FAX: (970) 628-7217
Email: travis_francis@fws.gov
dale_ryden@fws.gov

Date Last Modified: 5/17/2017 12:19:00 PM

Category:

- Ongoing project
 Ongoing-revised project
 Requested new project
 Unsolicited proposal

Expected Funding Source:

- Annual funds
 Capital funds
 Other [*explain*]

I. Title of Proposal:

II. Relationship to RIPRAP: **Removal of Non-native Fish in the Upper Colorado River between Grand Valley Water User's Dam [Government Highline Diversion Dam] near Palisade, Colorado, and Potash, Utah.**

III. Study Background/Rationale and Hypotheses:

General

Significant anthropogenic changes to the physical riverine habitat have undoubtedly played an important role in the decline and endangered status of Colorado pikeminnow, humpback chub, bonytail, and razorback sucker, but changes in the biological environment may also have been equally significant. Physical changes in the riverine habitat have been accompanied by the introduction, establishment, and proliferation of nonnative fishes, and concomitant declines in native fishes in the Upper Colorado River basin. The role of nonnative fishes is often identified, in association with habitat changes, as a major obstacle to conservation of native fish communities.

At least 67 nonnative fishes have been introduced actively or passively into the Colorado River system during the last 100 years (Minckley 1982; Tyus et al. 1982; Carlson and Muth 1989; Minckley and Deacon 1991; Maddux et al. 1993). By 1980, more than 50 nonnative fishes had been actively introduced into rivers and reservoirs of the Colorado River basin (Minckley 1982; Tyus et al. 1982; Carlson and Muth 1989). Native big river fishes have disappeared from about three-fourths of their original habitat while introduced fishes have become more widespread and abundant. Former studies have also documented a decline in the abundance of native fish species as nonnative species increased in abundance (Joseph et al. 1977; Behnke 1980; Osmundson and Kaeding 1989; Quarterone 1993; Francis and Ryden 2014(b)).

Many of the nonnative fishes introduced into the Colorado River basin are suspected of adversely affecting the native main stem fishes in some fashion. Warm water game fish are thought to have the greatest adverse effect on endangered native fishes. Centrarchids (e. g., largemouth bass, green sunfish, bluegill, black crappie, and smallmouth bass), ictalurids (e. g., channel catfish and black bullhead), esocids (northern pike), and percids (walleye) are frequently listed as contributors to the decline of native fishes. An increasing body of evidence characterizes the negative interactions of nonnative fishes with the endangered big river fishes (Hawkins and Nesler 1991; Minckley et al. 1991; Maddux et al. 1993; Lentsch et al. 1996; Francis and Ryden 2014(b)). Some of this evidence is indirect, including inferences from field data or results from laboratory studies of predation by nonnatives on natives. Laboratory studies have documented agonistic behavior, resource sharing, and vulnerability to predation (Papoulias and Minckley 1990; Karp and Tyus 1990; Ruppert et al. 1993; Johnson et al. 1993). Direct evidence of predation includes native fishes obtained from stomach contents of nonnative fishes and by visual observation of predation. Other means by which nonnative fishes may adversely affect native fishes are by competition for food, which limits the success of razorback sucker (Papoulias and Minckley 1990). The extent of predation pressure by some nonnative fishes on populations of native fishes is not exactly known. Tyus and Saunders (1996) went on to conclude that smallmouth bass along with channel catfish and northern pike were the main threat to juvenile Colorado pikeminnow and razorback sucker. During the 1990s the Yampa River experienced a dramatic increase in northern pike and then smallmouth bass in critical habitat. Predation by these two piscivorous species wreaked havoc on the native fish community. Anderson (2004; 2005) documented significant declines of native fish densities in parts of the Yampa River between 1998 and 2004 coincident with an increase in smallmouth bass abundance. Bioenergetics modeling by Johnson et al. (2008) indicated that smallmouth bass fish consumption was similar to northern pike and about 65 times greater than channel catfish, but if more prey fish were available, piscivory by smallmouth bass could be 10 fold the piscivory by northern pike and channel catfish. They concluded that smallmouth bass presented the greatest predatory threat to native fishes of the Yampa River. Francis and Ryden (2015) reported a decline in Colorado pikeminnow abundance in the lower Colorado River (2010-2014), while walleye populations were increasing; and they documented three juvenile Colorado pikeminnow in three walleye stomachs.

Smallmouth Bass

Until 2003, smallmouth bass were only reported as incidental, rare captures in the Upper Colorado River from Price Stubb Dam (river mile 188.3) to the Colorado/Green River confluence. However, Fish and Wildlife sampling crews

involved with the channel catfish removal evaluation recorded and documented the capture of 318 smallmouth bass in main channel riverine habitats in a 39-mile reach of the Upper Colorado River from the Gunnison/Colorado River confluence to the Utah/Colorado Stateline (Burdick 2003(a)). Catch rates (fish/hour and fish/mile) steadily increased throughout the 4-month sampling period (30 June to 31 October) and reached a high of 4.07 fish/hr. The source(s) of these smallmouth bass are unknown.

Upper Colorado River (Colorado)

In the Upper Colorado River between Grand Valley Water User's Dam (GVWU; river mile [RM] 193.7) and Potash, UT (RM 47.2), abundance and distribution information is limited for smallmouth bass. However, the increase in the number of smallmouth bass reported during the channel catfish removal evaluation had biologists and managers concerned that smallmouth bass abundance could increase quickly, and further impact recovery of native endangered fishes. Smallmouth bass have the potential to predate or compete with different life stages of the four native endangered fishes.

Fish passage has been restored at the Grand Valley Irrigation Company Diversion Dam near Palisade, GVWU Dam, and at the Price-Stubb Diversion Dam. For the first time in over 100 years fish now have upstream access from the Grand Valley to upstream reaches in the Upper Colorado River. Only a fish trap at the GVWU fish passageway can prevent unimpeded movement upstream. Smallmouth bass are located in Rifle Gap Reservoir and Highline Lake and adult smallmouth bass have been collected in the Colorado River between Rifle and Price-Stubb Dam (Anderson 1997; Burdick 2008(a)) and Price-Stubb Dam and Dewey Bridge, UT (Francis and Ryden 2013(b); Francis and Ryden 2014(b)).

Lower Gunnison River

In the fish trap of the Redlands Dam fish passageway in the Lower Gunnison River, the number of smallmouth bass have increased (22 in 2013[Francis and Ryden 2013(a)]) over previous years of monitoring (1996–2001: 1 fish)(Burdick 2001). Nineteen smallmouth bass were collected and removed in 2002 and 2003 (Burdick 2002; Burdick 2003(b)). Fourteen smallmouth (third most abundant year since 1996) bass were collected and removed from the fish trap in 2012 (Francis 2012(a)). Nine smallmouth bass were collected in the fish trap at Redlands during 2004 (Burdick 2004) and 21 during 2005 (Burdick 2005a). No smallmouth bass were collected in the fish trap during 2006 (Burdick 2006) or 2007 (Burdick 2007) or 2011 (Burdick 2011(a)). One smallmouth bass was removed in 2009 (Burdick 2008(b); 2009), 2015 (Francis and Ryden 2015), and 2016 (Francis and Ryden 2016(a)). Two were removed from the trap in 2014 (Francis and Ryden 2014(a)). Four were collected in 2008, three in 2010 (Burdick 2010(a)), and two in 2014 (Francis and Ryden 2014(b)). About 1,800 fingerling smallmouth bass were stocked by the Colorado Division of Wildlife (CDOW) in 1973 in the Gunnison River near Delta (Wiltzius 1978) upstream from Redlands Diversion Dam. None of these stocked smallmouth bass have been subsequently captured upstream from the diversion dam (Wiltzius 1978, Valdez et al. 1982; Burdick 1995). Redlands Dam (RM 3.0) provides an effective barrier to smallmouth bass and all other fish attempting to move further upstream in the Gunnison River.

Juanita Reservoir, which can connect to Kannah Creek and eventually to the Lower Gunnison River near the town of Whitewater, also contains smallmouth bass. Ridgeway Reservoir, which drains into the Uncompahgre River and

eventually the Gunnison River near the town of Delta, also has an illicitly introduced population of smallmouth bass.

Walleye

Little to no large bodied fishing effort has been expended in the Colorado River below the Colorado/Utah state line to the confluence of the Green River in years when the Colorado pikeminnow estimate work is on its two year rest cycle. In 2010, during Colorado pikeminnow estimate work, walleye captures were equal to pikeminnow captures, in these reaches, at 46. The two year cycle of no work in these reaches passed (2011 & 2012) and then in 2013, walleye captures during the Colorado pikeminnow estimate work skyrocketed to 268. In the spring of 2014 walleye captures were still high at 109. Additional work in the summer and fall 2013 produced another 23 walleye (Francis and Ryden 2013(b)). Additional experimental work in the fall 2014 produced an additional 107 walleye (Francis and Ryden 2014(b)). In addition, for the first time in 9 years of centrarchid removal work, 2012 produced 4 walleye in the Grand Valley reaches (Francis 2012(a)). Both 2015 and 2016 Colorado River work removed a total of 215 adult walleye from lower Westwater Canyon to the confluence of the Green River (Francis and Ryden 2016 (b)). With adult Colorado pikeminnow estimated abundances falling in both the Green and Colorado Rivers in concert with the expansion of the walleye population, it is imperative that we have a 'surge' type effort in the lower rivers (important nursery areas for young-of year and juvenile Colorado pikeminnow and razorback sucker) in both the spring and fall in future years if we wish to see recovery of Colorado pikeminnow and razorback sucker.

Johnson et al (2014) had success in determining that (through chemical fingerprinting) eight walleye collected between Silt Colorado and Beavertail Tunnel Colorado (2004-2006; RM 248.0 to 197.0) originated from Rifle Gap Reservoir. In response, Colorado Parks and Wildlife constructed a fish screen, in Rifle Creek, to prevent escapement of non-native fishes from the reservoir. This study also determined Starvation and Redfleet Reservoirs were contributing walleye to the Green River which drains into the Colorado River just above Cataract Canyon. Additionally, some walleye collected in the Green River had fingerprints that suggested they were Green River residents. At the lower terminus of the Upper Colorado River lies Lake Powell which also has a robust walleye fishery, as does McPhee Reservoir which drains into the Dolores River and eventually the Colorado River just upstream of Dewey Bridge, UT. All of these potential source populations have exasperated the predatory and competitive threat to both listed and unlisted native fishes in the Colorado River.

Control of Nonnative Fish by Mechanical Removal

Control of smallmouth bass and other nonnative fish species is a primary emphasis, along with habitat restoration, propagation and stocking, and instream flow management within the Recovery Program for the four endangered fish species. In the strategic plan for the control of nonnative fishes in the Upper Colorado River Basin (Tyus and Saunders 1996), "control" was defined as "reducing the numbers of one of more nonnative species to levels below which they are no longer an impediment to the recovery of endangered fish species." The goal for nonnative fish control or management in the Upper Colorado River Basin is to reduce the adverse impacts of nonnative fishes on the endangered fishes which will hopefully increase the distribution and abundance of the endangered fishes and contribute to their recovery. It is not likely that nonnative fishes that have become established in the Upper Colorado River Basin can be eliminated. However, preventive measures and active control programs could be implemented to reduce the abundance of nonnative fishes in riverine and adjacent floodplain habitats. Consequently, then, reducing the abundance of some problematic, nonnative fishes would reduce the potential

for predation and competition on native listed and non-listed fishes. Management to promote recovery of listed fish species may have to include long-term or periodic suppression of some problematic nonnatives, such as mechanical removal, that minimizes impacts to remaining native fishes.

IV. Study Goals, Objectives, End Product(s):

A. Study Goals

The purpose of this proposed study is to remove as many centrarchids (e. g., largemouth bass, green sunfish, bluegill, black crappie, and smallmouth bass), esocids (northern pike), percids (walleye), clupeids (gizzard shad), and non-native catostomids (white sucker) as possible of all sizes in main channel riverine habitats in a 68.9-mile reach of the Upper Colorado River between GVWU Dam and Westwater Wash in eastern Utah and in a 63.8-mile reach of the Upper Colorado River between Cisco and Potash Utah. The goal is to reduce the abundance of non-native fishes as quickly as possible in these reaches which will ultimately benefit native listed fishes, and possibly contribute to their recovery.

B. Objectives

1. Remove all sizes of centrarchids (e. g., largemouth bass, green sunfish, bluegill, black crappie, and smallmouth bass), esocids (northern pike), percids (walleye), clupeids (gizzard shad), and non-native catostomids (white sucker) in the Upper Colorado River (and associated floodplain ponds) by boat and raft-based electrofishing, and

C. End Products

Analyze field data; Prepare annual RIP reports.

V. Study Area:

Upper Colorado River:

GVWU Dam downstream to Loma boat landing (RM 193.7 – 152.6) & the Lower Gunnison River (RM 3.0 – 0.0)

Loma Boat Launch to Westwater Wash (RM 152.6 – 124.8)

Rifle Bridge to Beavertail Mountain (RM 240.4 – 195.7) [added in 2004] [CPW's reach from 2012-2019]

Silt to Rifle (RMs ~ 250.0 – 240.4) [added in 2007] [removed for 2009/2010/2011] [CPW's reach from 2012-2019]

Cisco to Potash, UT (RM 111.0 – 47.2) [added in 2013]

VI. Study Methods/Approach:

Temporarily reducing riverine smallmouth bass and northern pike populations appears viable under certain environmental conditions but both species can easily reverse these reductions in population abundance and return to pre-removal abundances under favorable environmental conditions (Breton et al. 2014; Zelasko et al. 2015). Therefore,

mechanical removal efforts will attempt to reach eradication of nonnative fish populations in the river. However, recent synthesis reports investigating effectiveness of in-river removal efforts for northern pike and smallmouth bass determined that reducing in-river populations of these two species would not be successful unless in-river reproduction and reservoir escapement were controlled (Breton et al. 2014; Zelasko et al. 2015). Therefore, mechanical removal efforts will continue to temporarily suppress riverine populations, and will focus on reducing in-river reproduction when feasible. Simultaneously, Program partners will work on other means to reduce in-river reproduction and reservoir escapement, in order to make mechanical removal more effective and to attempt to reach complete eradication of riverine populations.

General–Study Direction and Evolution

December 2003. One of the conclusions agreed upon by participants at the December 2003 Nonnative Fish Control Workshop in Grand Junction was that smallmouth bass posed a greater threat to native fishes than other nonnative game fishes (e.g., channel catfish). Northern pike was viewed as the present number one threat to native fishes. At this workshop, the priority was established to start removing smallmouth bass from the Upper Colorado River in western Colorado as soon as possible to head off a possible increase in the abundance of this species. Recovery of listed native fishes might be more attainable if the threats (i.e., predation and competition) posed by certain nonnative fishes, such as smallmouth bass, could be minimized or eliminated.

FY2006 Study Modifications. The decision was made during the December 14, 2005, Biology Committee meeting to obtain an abundance estimate for smallmouth bass in concentration areas of the Upper Colorado River from Price Stubb Dam to Westwater, Utah. In essence this endeavor entailed marking and releasing smallmouth bass during an initial pass starting in the summer of 2006, and lethally removing and recording previously marked smallmouth bass in all subsequent passes. Smallmouth bass were marked in the river segments from Price Stubb Dam to Fruita State Park in the Upper Colorado River and a 2.3-mile segment of the Lower Gunnison River. These river segments were identified as moderate to high concentrations areas for smallmouth bass based on capture data from the summers of 2004 and 2005. An additional first pass was added to accomplish the marking. Four successive passes were performed during 2006 in the concentration areas to lethally remove smallmouth bass as was conducted in both 2004 and 2005.

Population estimates for smallmouth bass were completed from 2007-2012, to track population abundance.

The number of removal passes for areas of low densities of smallmouth bass as determined from 2004 and 2005 capture data was reduced during 2006. These river segments included the canyon-bound reaches of Ruby and Horsethief canyons to Westwater, Utah (RM 152.6 – 127.6). The reduced effort in these reaches was re-directed to increase the number of removal passes in river segments where smallmouth bass had proliferated over the past two years. One such river reach was the 45-mile reach of the Upper Colorado River from the Rifle Bridge to Beavertail Mountain and, in particular, the 10 mile river segment from Rifle to Rulison. In 2005, the number of smallmouth bass collected in these reaches increased 11 fold and catch effort increased about 5.5 times. Re-focusing the removal effort resulted in a zero net budget change.

In 2007, study direction was modified again. Four additional removal passes were added for the Grand Valley portion of the project area. Two additional passes were performed

by Fish and Wildlife personnel and two by Colorado Division of Wildlife (CDOW) personnel. The last two removal passes performed by the CDOW were in river reaches where high concentration or high abundance of smallmouth bass had been determined during the past five years of sampling. This sampling regime continued from 2008-2011.

Further modifications to the sampling protocol were implemented in 2011 from earlier sampling years (2007-2010). Removal efforts in the 45-mile reach between Rifle Bridge and Beavertail Mountain were continued but the number of removal passes was reduced from three to one. The reduced effort in the Rifle to Beavertail reach was re-allocated to increase removal passes (two total) in some of the Grand Valley reaches of the Colorado River (RMs 185.3-152.6). The principal investigator believed it was imperative to re-allocate this effort from the Rifle to Beavertail Mountain reaches to the Grand Valley reaches for 2011 because the smallmouth bass cohort produced in 2010 in the Grand Valley reaches appeared to be stronger than that of 2007, which was recognized as one of the strongest year classes in the upper Colorado River basin rivers. It was uncertain if this 2010 cohort would overwinter, and that would not be known until the 2011 summer sampling was underway. The Service was responsible for performing this “re-allocated” effort and would not affect the removal effort (two passes) performed by the CDOW (RP project no. 126(b)), which usually occurred in September. This reallocation of effort resulted in no additional costs to the 2011 budget for this project.

Sampling modifications were necessary to remain within the new budget prescribed by the Recovery Program for FY2012. These changes were directly related to the Recovery Program’s 20% budget reduction from the FY2009, FY2010, and FY2011 budget (\$157,200/fiscal year). The sampling modifications included, 1) reducing the number of removal passes from 10 to 6 in the Grand Valley reaches, 2) eliminated sampling in the 25-mile reach from the Loma Boat Landing to the Westwater BLM ranger station, UT, and the 4-mile reach between Government Highline Dam and the Cameo XCEL bridge. Colorado Parks and Wildlife shifted their efforts to the reach between Rulison and Beavertail.

Sampling modifications for FY2013 and FY2014 included; 1) suspending the marking pass in the Grand Valley reaches, 2) increasing the number of removal passes in the Grand Valley reaches from 6 (FY2012) to 8, 3) completing two overnight trips removing centrarchids from the 25-mile reach between Loma boat landing to the Westwater, UT, BLM ranger station landing, and 4) CPW completed all work upstream of Beavertail Mountain with scope of work 126(b).

A final synthesis report describing results from 2004 to 2006 was completed in January 2008 (Burdick 2008(a)).

Methodology

To date, sampling efforts have focused on a reach and not river-wide scale. Two electrofishing craft (per Upper Colorado River Recovery Program SOP) worked both shorelines of a reach to complete a pass. For logistical considerations, the entire 68.9-mile section of the Upper Colorado River from GVWU Dam to Westwater Wash, Utah, was divided into three different sub-reaches based on hydro-geomorphic features.

Three general sub-reaches were sampled between 2004 and 2014. These included, 1) a 10.1-mile section between GVWU and Palisade and the 15-mile section that extends from Palisade to the Gunnison/Colorado River confluence (RMs 185.5–171), 2) the 18-mile reach that extends from the confluence of the Gunnison and Colorado rivers to the

Loma Boat Landing (RMs 171.0–152.6), and 3) Ruby and Horsethief canyons (RMs 152.6–124.8) which extends from the Loma Boat Landing to the Westwater, Utah. The 15- and 18-mile sub-reaches flow through a wide alluvial section of the lower Grand Valley; the canyon-bound sub-reach is considered a quasi-alluvial sub-reach. The number of sampling occasions (i.e., passes) in the 15-mile reach has been affected by the availability of sufficient water for sampling craft to operate due to extended drought periods. Sampling the 3-mile section between Price-Stubbs and Grand Valley Irrigation dams has also been reduced due to poor access and low-water conditions in mid- to late-summer.

A 45-mile reach of the Upper Colorado River from the Rifle Bridge (RM 240.7) to Beavertail Mountain in Debeque Canyon (RM 195.7) will have been sampled with raft electrofishing for the eleven most recent years (2004 – 2014) of this study. This river reach was outside the original defined removal area. However, there were unsubstantiated reports that anglers had encountered smallmouth bass in these upstream reaches, and it was determined that a “reconnaissance” sampling trip was warranted to substantiate or refute these claims. Burdick (2011(b)) reported 11 northern pike removed in this reach and Francis (2012(b)) reported 16 northern pike removed by CPW in this reach providing additional support to work in this reach. Sampling regime for this 45-mile reach (2004-2010) has been two complete passes and a third pass in high concentration areas of smallmouth bass. However, only one pass was completed in these upper reaches in 2011 and only two were completed in 2012-2014.

In response to an increased walleye catch from Cisco to the confluence of the Green during spring Colorado pikeminnow abundance estimate work, another 63.8-mile reach was added in the Upper Colorado River from Cisco, UT (RM 11.0) to Potash, UT (RM 47.2) in 2013. Francis and Ryden (2016(b)) reported removing 292 walleye in 2013, 216 walleye in 2014, and 159 walleye in 2015 during combined non-native removal and Colorado pikeminnow abundance work. In 2016, only four passes of targeted walleye removal resulted in 56 removed (Francis and Ryden 2016(b)).

Within the Grand Valley, between Grand Valley Diversion Dam and Loma, CO, there are many off channel gravel pit ponds which connect with the river at various stages during run-off. These off-channel habitats are important pre-spawn staging areas for adult native fishes and they are important nursery areas for young-of year native fishes. However, these gravel pit ponds have become sources for many of the non-native centrarchids, northern pike, white sucker and gizzard shad found in the main-stem river. Little effort has been expended at these locations since the inception of this project. As a recommendation in our 2014 annual report and with the approval of the UCRRP and Biology Committee, mechanical removal may be expended in these these gravel pit ponds (where we have access). Electrofishing, trap netting, gill netting, trammel netting, seining, and cast netting will be utilized at these locations.

FY 2015-2019

Sampling Protocol

Sampling for FY2015-2019 will include; 1) continued suspension of the marking pass in the Grand Valley reaches, 2) eight removal passes conducted in the Grand Valley reaches, 3) two removal passes from the 25-mile reach between Loma boat landing to the Westwater BLM ranger station, UT, 4) three walleye removal passes conducted from Cisco to Potash, UT (in 2015, funding was transferred from UCRRP project 131 to this project to fund this addition), 5) one month’s removal from streamside gravel pit ponds in the Grand Valley, and 6) CPW will complete all work upstream of Beavertail Mountain

with scope of work 126(b). The UCRRP 2015-2017 non-native workshop conclusions could change these protocols.

Fish Disposal. All smallmouth bass (with the exception of marked fish during years when abundance estimates are conducted), other centrarchids, northern pike, walleye, gizzard shad, grass carp, and yellow perch collected will be lethally removed. White sucker will be removed at levels that don't interfere with the primary objective of removing centrarchids. Disposal of all these fishes will be as follows: following capture, fish will be euthanized afield and preserved with ice. All dead fish will be held on station in freezers and disposed of in the Mesa County landfill southeast of Grand Junction.

Data Analyses. All smallmouth bass captured within each of the sub-reaches will be enumerated in 2015-2019 similar to that during former years (2004 – 2014). Total numbers of smallmouth bass, largemouth bass and walleye collected and catch/effort (fish/hr) will be also determined for each sub-reach per sampling pass. Length data will be recorded for 2015-2019 similar to that during former years (2004 – 2014) to determine the size structure of smallmouth bass removed.

Data analyses similar to that employed between 2004 and 2014 will be used to analyze the 2015-2019 field data. We assume that during 2018-2019, abundance estimates will be suspended.

VII. Task Description and Schedule:

- Task 1. Remove all sizes of non-native fishes.
Schedule: 6/2018 – 10/2018; 6/2019 – 10/2019; 6/2020 – 10/2020

- Task 2. a) Electronically input field data; b) analyze data; c) prepare annual RIP reports and presentations.
Schedule: a) 9/2018 – 11/2018; 9/2019 – 11/2019; 9/2020 – 11/2020
b) & c) 11/2018, 11/2019, 11/2020

VIII. Deliverables, Due Dates, and Budget by Fiscal Year:

FY 2018

Deliverables: *Tasks 1 and 2*

Work from GVWU Dam to Westwater Wash								
Labor	Title	# of employees	Hours	Reg. Rate	OT Hours	OT Rate		Total
	Project Leader GS-14	1	260	80.95	0	0		21047
	Administrative Officer GS-09	1	260	42.14	0	0		10956.4
	Fishery Biologist GS-11	1	800	52.8	0	0		42240
	Fishery Biologist GS-07	1	320	31.82	120	47.73		15910
	Crew leader Tech. GS-06	1	320	27.2	120	40.8		13600
	Biological Tech. GS-05	3	500	22.94	120	34.41		46797.6
Labor Subtotal								150551
Equipment & Supplies	Category	Item	Quantity	Unit	Rate	Duration		Total
	Office Supplies	FEDEX charges for Biological samples						350
	Office Supplies	Rite in the rain paper						50
	Office Supplies	Data clipboards						50
	Office Supplies	Ink Cartridges and paper						200
	Office Supplies	Cell, SAT, and Office phone service						1000
	Field Equipment	GSA vehicle lease per month	3.25	each	365	3.25		3855.3125
	Field Equipment	Mileage	3648	miles	0.42	1		1532.16
	Field Equipment	Boat Gasoline 91 octane	205	gallons	4	1		820
	Field Equipment	Motor, Generator, Boat Repair (Based on 10 year depreciation and replacement costs)	1	see basis	6,500	1		6500
	Field Equipment	*Misc. Field Supplies See Justification	1	see basis	1,500	1		1500
Equipment Subtotal								15857.473
	Type Of Travel	Number of Travelers	Hotel Costs	Per Diem	TAV Fee	# days	# of trips	Total

	Camping	5	0	28	14.75	4	2	1297.5
	Meetings/ Lakewood 2017 GSA Rates	2	178	69	14.75	5	1	2173
Travel Subtotal								3470.5
								Grand Total
USFWS Grand Jct.								169879
	Work from Cisco, UT to Potash, UT							
Labor	Title	# of employees	Hours	Reg. Rate	OT Hours	OT Rate		Total
	Project Leader GS-14	1	20	80.95	0	0		1619
	Administrative Officer GS-09	1	20	42.14	0	0		842.8
	Fishery Biologist GS-11	1	224	52.8	0	0		11827.2
	Crew leader Tech. GS-06	1	224	27.2	60	40.8		8540.8
	Biological Tech. GS-05	3	224	22.94	60	34.41		21609.48
Labor Subtotal								44439.28
Equipment & Supplies	Category	Item	Quantity	Unit	Rate	Duration		Total
	Office Supplies	Cell, SAT, and Office phone service						250
	Field Equipment	GSA vehicle lease per month	3	each	365	1		1095
	Field Equipment	Mileage	770	miles	0.42	1		323.4
	Field Equipment	Boat Gasoline 91 octane	52	gallons	4	1		208
	Field Equipment	Motor, Generator, Boat Repair (Based on 10 year depreciation and replacement costs)	1	see basis	1,500	1		1500
	Field Equipment	*Misc. Field Supplies See Justification	1	see basis	800	1		800
Equipment Subtotal								4176.4
	Type Of Travel	Number of Travelers	Hotel Costs	Per Diem	TAV Fee	# days	# of trips	Total
	Camping	5	0	28	15	2	8	3280
	Moab 2017 GSA Rates	4	162	64	15	3	4	3024

Travel Subtotal								6304
								Grand Total
USFWS Grand Jct.								54920
Mechanical Removal of non- native fishes from streamside gravel pit ponds								
Labor	Title	# of employees	Hours	Reg. Rate	OT Hours	OT Rate		Total
	Project Leader GS-14	1	60	80.95	0	0		4857
	Administrative Officer GS-09	1	40	42.14	0	0		1685.6
	Fishery Biologist GS-11	1	80	52.8	0	0		4224
	Crew leader Tech. GS-06	1	160	27.2	0	40.8		4352
	Biological Tech. GS-05	1	160	22.94	0	34.41		3670.4
Labor Subtotal								18789
Equipment & Supplies	Category	Item	Quantity	Unit	Rate	Duration		Total
	Office Supplies	Cell, SAT, and Office phone service						100
	Field Equipment	GSA vehicle lease per month	1	each	365	1		365
	Field Equipment	Mileage	250	miles	0.42	1		105
	Field Equipment	Boat Gasoline 91 octane	15	gallons	4	1		60
	Field Equipment	Motor, Generator, Boat Repair (Based on 10 year depreciation and replacement costs)	1	see basis	500	1		500
	Field Equipment	*Misc. Field Supplies See Justification	1	see basis	500	1		500
Equipment Subtotal								1630
								Grand Total
USFWS Grand Jct.								20419

FY 2019

Deliverables: *Tasks 1 and 2*

Work from GVWU Dam to Westwater Wash								
Labor	Title	# of employees	Hours	Reg. Rate	OT Hours	OT Rate		Total
	Project Leader GS-14	1	260	82.57	0	0		21468.2
	Administrative Officer GS-09	1	260	42.98	0	0		11174.8
	Fishery Biologist GS-11	1	800	53.84	0	0		43072
	Fishery Biologist GS-07	1	320	32.46	120	48.69		16230
	Crew leader Tech. GS-06	1	320	27.74	120	41.62		13871.2
	Biological Tech. GS-05	3	500	23.4	120	35.1		47736
Labor Subtotal								153552.2
Equipment & Supplies	Category	Item	Quantity	Unit	Rate	Duration		Total
	Office Supplies	FEDEX charges for Biological samples						357
	Office Supplies	Rite in the rain paper						51
	Office Supplies	Data clipboards						51
	Office Supplies	Ink Cartridges and paper						204
	Office Supplies	Cell, SAT, and Office phone service						1020
	Field Equipment	GSA vehicle lease per month	3.25	each	372.3	3.25		3932.4188
	Field Equipment	Mileage	3648	miles	0.43	1		1568.64
	Field Equipment	Boat Gasoline 91 octane	205	gallons	4.08	1		836.4
	Field Equipment	Motor, Generator, Boat Repair (Based on 10 year depreciation and replacement costs)	1	see basis	6,630	1		6630
	Field Equipment	*Misc. Field Supplies See Justification	1	see basis	1,530	1		1530
Equipment Subtotal								16180.459
	Type Of Travel	Number of Travelers	Hotel Costs	Per Diem	TAV Fee	# days	# of trips	Total
	Camping	5	0	28	14.75	4	2	1297.5

	Meetings/ Lakewood 2017 GSA Rates	2	181.56	70.38	14.75	5	1	2215.28
Travel Subtotal								3512.78
								Grand Total
USFWS Grand Jct.								173245
Work from Cisco, UT to Potash, UT								
Labor	Title	# of employees	Hours	Reg. Rate	OT Hours	OT Rate		Total
	Project Leader GS-14	1	20	82.57	0	0		1651.4
	Administrative Officer GS-09	1	20	42.98	0	0		859.6
	Fishery Biologist GS-11	1	224	53.84	0	0		12060.16
	Crew leader Tech. GS-06	1	224	27.74	60	41.62		8710.96
	Biological Tech. GS-05	3	224	23.4	60	35.1		22042.8
Labor Subtotal								45324.92
Equipment & Supplies	Category	Item	Quantity	Unit	Rate	Duration		Total
	Office Supplies	Cell, SAT, and Office phone service						255
	Field Equipment	GSA vehicle lease per month	3	each	372.3	1		1116.9
	Field Equipment	Mileage	770	miles	0.43	1		331.1
	Field Equipment	Boat Gasoline 91 octane	52	gallons	4.08	1		212.16
	Field Equipment	Motor, Generator, Boat Repair (Based on 10 year depreciation and replacement costs)	1	see basis	1,530	1		1530
	Field Equipment	*Misc. Field Supplies See Justification	1	see basis	816	1		816
Equipment Subtotal								4261.16
	Type Of Travel	Number of Travelers	Hotel Costs	Per Diem	TAV Fee	# days	# of trips	Total
	Camping	5	0	28	15	2	8	3280
	Moab 2017 GSA Rates	4	165.24	65.28	15	3	4	3065.28
Travel Subtotal								6345.28

								Grand Total
USFWS Grand Jct.								55931
Mechanical Removal of non- native fishes from streamside gravel pit ponds								
Labor	Title	# of employees	Hours	Reg. Rate	OT Hours	OT Rate		Total
	Project Leader GS-14	1	60	82.57	0	0		4954.2
	Administrative Officer GS-09	1	40	42.98	0	0		1719.2
	Fishery Biologist GS-11	1	80	53.84	0	0		4307.2
	Crew leader Tech. GS-06	1	160	27.74	0	41.62		4438.4
	Biological Tech. GS-05	1	160	23.4	0	35.1		3744
Labor Subtotal								19163
Equipment & Supplies	Category	Item	Quantity	Unit	Rate	Duration		Total
	Office Supplies	Cell, SAT, and Office phone service						102
	Field Equipment	GSA vehicle lease per month	1	each	372.3	1		372.3
	Field Equipment	Mileage	250	miles	0.43	1		107.5
	Field Equipment	Boat Gasoline 91 octane	15	gallons	4.08	1		61.2
	Field Equipment	Motor, Generator, Boat Repair (Based on 10 year depreciation and replacement costs)	1	see basis	510	1		510
	Field Equipment	*Misc. Field Supplies See Justification	1	see basis	510	1		510
Equipment Subtotal								1663
								Grand Total
USFWS Grand Jct.								20826

Out-year budgets for Non-native Fish Removal in the Upper Colorado River between GVWU Dam [Government Highline Diversion Dam] near Palisade, Colorado, and Potash, Utah: 2020-2022

THESE BUDGETS ARE ESTIMATES ONLY AND MAY NOT REPRESENT ACTUAL COSTS

FY 2020

Deliverables: *Tasks 1 and 2*

Work from GVWU Dam to Westwater Wash								
Labor	Title	# of employees	Hours	Reg. Rate	OT Hours	OT Rate		Total
	Project Leader GS-14	1	260	84.22	0	0		21897.2
	Administrative Officer GS-09	1	260	43.84	0	0		11398.4
	Fishery Biologist GS-11	1	800	54.92	0	0		43936
	Fishery Biologist GS-07	1	320	33.11	120	49.66		16554.4
	Crew leader Tech. GS-06	1	320	28.3	120	42.45		14150
	Biological Tech. GS-05	3	500	23.87	120	35.8		48693
Labor Subtotal								156629
Equipment & Supplies	Category	Item	Quantity	Unit	Rate	Duration		Total
	Office Supplies	FEDEX charges for Biological samples						364
	Office Supplies	Rite in the rain paper						52
	Office Supplies	Data clipboards						52
	Office Supplies	Ink Cartridges and paper						208
	Office Supplies	Cell, SAT, and Office phone service						1040
	Field Equipment	GSA vehicle lease per month	3.25	each	379.75	3.25		4011.1094
	Field Equipment	Mileage	3648	miles	0.44	1		1605.12
	Field Equipment	Boat Gasoline 91 octane	205	gallons	4.16	1		852.8
	Field Equipment	Motor, Generator, Boat Repair (Based on 10 year depreciation and replacement costs)	1	see basis	6,763	1		6763
	Field Equipment	*Misc. Field Supplies See Justification	1	see basis	1,561	1		1561
Equipment Subtotal								16509.029
	Type Of Travel	Number of Travelers	Hotel Costs	Per Diem	TAV Fee	# days	# of trips	Total

	Camping	5	0	28	14.75	4	2	1297.5
	Meetings/ Lakewood 2017 GSA Rates	2	185.19	71.79	14.75	5	1	2258.42
Travel Subtotal								3555.92
								Grand Total
USFWS Grand Jct.								176694
	Work from Cisco, UT to Potash, UT							
Labor	Title	# of employees	Hours	Reg. Rate	OT Hours	OT Rate		Total
	Project Leader GS-14	1	20	84.22	0	0		1684.4
	Administrative Officer GS-09	1	20	43.84	0	0		876.8
	Fishery Biologist GS-11	1	224	54.92	0	0		12302.08
	Crew leader Tech. GS-06	1	224	28.3	60	42.45		8886.2
	Biological Tech. GS-05	3	224	23.87	60	35.8		22484.64
Labor Subtotal								46234.12
Equipment & Supplies	Category	Item	Quantity	Unit	Rate	Duration		Total
	Office Supplies	Cell, SAT, and Office phone service						260
	Field Equipment	GSA vehicle lease per month	3	each	379.75	1		1139.25
	Field Equipment	Mileage	770	miles	0.44	1		338.8
	Field Equipment	Boat Gasoline 91 octane	52	gallons	4.16	1		216.32
	Field Equipment	Motor, Generator, Boat Repair (Based on 10 year depreciation and replacement costs)	1	see basis	1,561	1		1561
	Field Equipment	*Misc. Field Supplies See Justification	1	see basis	832	1		832
Equipment Subtotal								4347.37
	Type Of Travel	Number of Travelers	Hotel Costs	Per Diem	TAV Fee	# days	# of trips	Total
	Camping	5	0	28	15	2	8	3280
	Moab 2017 GSA Rates	4	168.55	66.59	15	3	4	3107.48

Travel Subtotal								6387.48
								Grand Total
USFWS Grand Jct.								56969
Mechanical Removal of non- native fishes from streamside gravel pit ponds								
Labor	Title	# of employees	Hours	Reg. Rate	OT Hours	OT Rate		Total
	Project Leader GS-14	1	60	84.22	0	0		5053.2
	Administrative Officer GS-09	1	40	43.84	0	0		1753.6
	Fishery Biologist GS-11	1	80	54.92	0	0		4393.6
	Crew leader Tech. GS-06	1	160	28.3	0	42.45		4528
	Biological Tech. GS-05	1	160	23.87	0	35.8		3819.2
Labor Subtotal								19547.6
Equipment & Supplies	Category	Item	Quantity	Unit	Rate	Duration		Total
	Office Supplies	Cell, SAT, and Office phone service						104
	Field Equipment	GSA vehicle lease per month	1	each	379.75	1		379.75
	Field Equipment	Mileage	250	miles	0.44	1		110
	Field Equipment	Boat Gasoline 91 octane	15	gallons	4.16	1		62.4
	Field Equipment	Motor, Generator, Boat Repair (Based on 10 year depreciation and replacement costs)	1	see basis	520	1		520
	Field Equipment	*Misc. Field Supplies See Justification	1	see basis	520	1		520
Equipment Subtotal								1696.15
								Grand Total
USFWS Grand Jct.								21244

FY 2021

Deliverables: *Tasks 1 and 2*

Work from GVWU Dam to Westwater Wash								
Labor	Title	# of employees	Hours	Reg. Rate	OT Hours	OT Rate		Total
	Project Leader GS-14	1	260	85.9	0	0		22334
	Administrative Officer GS-09	1	260	44.72	0	0		11627.2
	Fishery Biologist GS-11	1	800	56.02	0	0		44816
	Fishery Biologist GS-07	1	320	33.77	120	50.65		16884.4
	Crew leader Tech. GS-06	1	320	28.87	120	43.3		14434.4
	Biological Tech. GS-05	3	500	24.35	120	36.52		49672.2
Labor Subtotal								159768.2
Equipment & Supplies	Category	Item	Quantity	Unit	Rate	Duration		Total
	Office Supplies	FEDEX charges for Biological samples						371
	Office Supplies	Rite in the rain paper						53
	Office Supplies	Data clipboards						53
	Office Supplies	Ink Cartridges and paper						212
	Office Supplies	Cell, SAT, and Office phone service						1061
	Field Equipment	GSA vehicle lease per month	3.25	each	387.35	3.25		4091.3844
	Field Equipment	Mileage	3648	miles	0.45	1		1641.6
	Field Equipment	Boat Gasoline 91 octane	205	gallons	4.24	1		869.2
	Field Equipment	Motor, Generator, Boat Repair (Based on 10 year depreciation and replacement costs)	1	see basis	6,898	1		6898
	Field Equipment	*Misc. Field Supplies See Justification	1	see basis	1,592	1		1592
Equipment Subtotal								16842.184
	Type Of Travel	Number of Travelers	Hotel Costs	Per Diem	TAV Fee	# days	# of trips	Total
	Camping	5	0	28	14.75	4	2	1297.5

	Meetings/ Lakewood 2017 GSA Rates	2	188.89	73.23	14.75	5	1	2302.42
Travel Subtotal								3599.92
								Grand Total
USFWS Grand Jct.								180210
Work from Cisco, UT to Potash, UT								
Labor	Title	# of employees	Hours	Reg. Rate	OT Hours	OT Rate		Total
	Project Leader GS-14	1	20	85.9	0	0		1718
	Administrative Officer GS-09	1	20	44.72	0	0		894.4
	Fishery Biologist GS-11	1	224	56.02	0	0		12548.48
	Crew leader Tech. GS-06	1	224	28.87	60	43.3		9064.88
	Biological Tech. GS-05	3	224	24.35	60	36.52		22936.8
Labor Subtotal								47162.56
Equipment & Supplies	Category	Item	Quantity	Unit	Rate	Duration		Total
	Office Supplies	Cell, SAT, and Office phone service						265
	Field Equipment	GSA vehicle lease per month	3	each	387.35	1		1162.05
	Field Equipment	Mileage	770	miles	0.45	1		346.5
	Field Equipment	Boat Gasoline 91 octane	52	gallons	4.24	1		220.48
	Field Equipment	Motor, Generator, Boat Repair (Based on 10 year depreciation and replacement costs)	1	see basis	1,592	1		1592
	Field Equipment	*Misc. Field Supplies See Justification	1	see basis	849	1		849
Equipment Subtotal								4435.03
	Type Of Travel	Number of Travelers	Hotel Costs	Per Diem	TAV Fee	# days	# of trips	Total
	Camping	5	0	28	15	2	8	3280
	Moab 2017 GSA Rates	4	171.92	67.92	15	3	4	3150.4
Travel Subtotal								6430.4

								Grand Total
USFWS Grand Jct.								58028
Mechanical Removal of non- native fishes from streamside gravel pit ponds								
Labor	Title	# of employees	Hours	Reg. Rate	OT Hours	OT Rate		Total
	Project Leader GS-14	1	60	85.9	0	0		5154
	Administrative Officer GS-09	1	40	44.72	0	0		1788.8
	Fishery Biologist GS-11	1	80	56.02	0	0		4481.6
	Crew leader Tech. GS-06	1	160	28.87	0	43.3		4619.2
	Biological Tech. GS-05	1	160	24.35	0	36.52		3896
Labor Subtotal								19939.6
Equipment & Supplies	Category	Item	Quantity	Unit	Rate	Duration		Total
	Office Supplies	Cell, SAT, and Office phone service						106
	Field Equipment	GSA vehicle lease per month	1	each	387.35	1		387.35
	Field Equipment	Mileage	250	miles	0.45	1		112.5
	Field Equipment	Boat Gasoline 91 octane	15	gallons	4.24	1		63.6
	Field Equipment	Motor, Generator, Boat Repair (Based on 10 year depreciation and replacement costs)	1	see basis	530	1		530
	Field Equipment	*Misc. Field Supplies See Justification	1	see basis	530	1		530
Equipment Subtotal								1729.45
								Grand Total
USFWS Grand Jct.								21669

FY 2022

Deliverables: *Tasks 1 and 2*

Work from GVWU Dam to Westwater Wash								
Labor	Title	# of employees	Hours	Reg. Rate	OT Hours	OT Rate		Total
	Project Leader GS-14	1	260	87.62	0	0		22781.2
	Administrative Officer GS-09	1	260	45.61	0	0		11858.6
	Fishery Biologist GS-11	1	800	57.14	0	0		45712
	Fishery Biologist GS-07	1	320	34.45	120	51.66		17223.2
	Crew leader Tech. GS-06	1	320	29.45	120	44.17		14724.4
	Biological Tech. GS-05	3	500	24.84	120	37.25		50670
Labor Subtotal								162969.4
Equipment & Supplies	Category	Item	Quantity	Unit	Rate	Duration		Total
	Office Supplies	FEDEX charges for Biological samples						378
	Office Supplies	Rite in the rain paper						54
	Office Supplies	Data clipboards						54
	Office Supplies	Ink Cartridges and paper						216
	Office Supplies	Cell, SAT, and Office phone service						1082
	Field Equipment	GSA vehicle lease per month	3.25	each	395.1	3.25		4173.2438
	Field Equipment	Mileage	3648	miles	0.46	1		1678.08
	Field Equipment	Boat Gasoline 91 octane	205	gallons	4.32	1		885.6
	Field Equipment	Motor, Generator, Boat Repair (Based on 10 year depreciation and replacement costs)	1	see basis	7,036	1		7036
	Field Equipment	*Misc. Field Supplies See Justification	1	see basis	1,624	1		1624
Equipment Subtotal								17180.924
	Type Of Travel	Number of Travelers	Hotel Costs	Per Diem	TAV Fee	# days	# of trips	Total
	Camping	5	0	28	14.75	4	2	1297.5

	Meetings/ Lakewood 2017 GSA Rates	2	192.67	74.7	14.75	5	1	2347.36
Travel Subtotal								3644.86
								Grand Total
USFWS Grand Jct.								183795
Work from Cisco, UT to Potash, UT								
Labor	Title	# of employees	Hours	Reg. Rate	OT Hours	OT Rate		Total
	Project Leader GS-14	1	20	87.62	0	0		1752.4
	Administrative Officer GS-09	1	20	45.61	0	0		912.2
	Fishery Biologist GS-11	1	224	57.14	0	0		12799.36
	Crew leader Tech. GS-06	1	224	29.45	60	44.17		9247
	Biological Tech. GS-05	3	224	24.84	60	37.25		23397.48
Labor Subtotal								48108.44
Equipment & Supplies	Category	Item	Quantity	Unit	Rate	Duration		Total
	Office Supplies	Cell, SAT, and Office phone service						270
	Field Equipment	GSA vehicle lease per month	3	each	395.1	1		1185.3
	Field Equipment	Mileage	770	miles	0.46	1		354.2
	Field Equipment	Boat Gasoline 91 octane	52	gallons	4.32	1		224.64
	Field Equipment	Motor, Generator, Boat Repair (Based on 10 year depreciation and replacement costs)	1	see basis	1,624	1		1624
	Field Equipment	*Misc. Field Supplies See Justification	1	see basis	866	1		866
Equipment Subtotal								4524.14
	Type Of Travel	Number of Travelers	Hotel Costs	Per Diem	TAV Fee	# days	# of trips	Total
	Camping	5	0	28	15	2	8	3280
	Moab 2017 GSA Rates	4	175.36	69.28	15	3	4	3194.24
Travel Subtotal								6474.24

								Grand Total
USFWS Grand Jct.								59107
Mechanical Removal of non- native fishes from streamside gravel pit ponds								
Labor	Title	# of employees	Hours	Reg. Rate	OT Hours	OT Rate		Total
	Project Leader GS-14	1	60	87.62	0	0		5257.2
	Administrative Officer GS-09	1	40	45.61	0	0		1824.4
	Fishery Biologist GS-11	1	80	57.14	0	0		4571.2
	Crew leader Tech. GS-06	1	160	29.45	0	44.17		4712
	Biological Tech. GS-05	1	160	24.84	0	37.25		3974.4
Labor Subtotal								20339.2
Equipment & Supplies	Category	Item	Quantity	Unit	Rate	Duration		Total
	Office Supplies	Cell, SAT, and Office phone service						108
	Field Equipment	GSA vehicle lease per month	1	each	395.1	1		395.1
	Field Equipment	Mileage	250	miles	0.46	1		115
	Field Equipment	Boat Gasoline 91 octane	15	gallons	4.32	1		64.8
	Field Equipment	Motor, Generator, Boat Repair (Based on 10 year depreciation and replacement costs)	1	see basis	541	1		541
	Field Equipment	*Misc. Field Supplies See Justification	1	see basis	541	1		541
Equipment Subtotal								1764.9
								Grand Total
USFWS Grand Jct.								22104

IX. Budget Summary:

FY2018

USFWS-GJ	GVWU Dam to Westwater Wash, UT	\$169,879
USFWS-GJ	Cisco, UT to Potash, UT	\$ 54,920
USFWS-GJ	Grand Valley streamside ponds	\$ 20,419
	Grand Total	\$245,218

FY2019

USFWS-GJ	GVWU Dam to Westwater Wash, UT	\$173,245
USFWS-GJ	Cisco, UT to Potash, UT	\$ 55,931
USFWS-GJ	Grand Valley streamside ponds	\$ 20,826
	Grand Total	\$250,002

2018-2019 Total = \$495,220

Estimated Budget Summary for Fiscal Years 2020-2022:

FY2020

USFWS-GJ	GVWU Dam to Westwater Wash, UT	\$176,694
USFWS-GJ	Cisco, UT to Potash, UT	\$ 56,969
USFWS-GJ	Grand Valley streamside ponds	\$ 21,244
	Grand Total	\$254,907

FY2021

USFWS-GJ	GVWU Dam to Westwater Wash, UT	\$180,210
USFWS-GJ	Cisco, UT to Potash, UT	\$ 58,028
USFWS-GJ	Grand Valley streamside ponds	\$ 21,669
	Grand Total	\$259,907

FY2022

USFWS-GJ	GVWU Dam to Westwater Wash, UT	\$183,795
USFWS-GJ	Cisco, UT to Potash, UT	\$ 59,107
USFWS-GJ	Grand Valley streamside ponds	\$ 22,104
	Grand Total	\$265,006

2020-2022 Total = \$779,820

5-Year Total = \$1,275,040

X. Reviewers: Recovery Program Director's Office – May 2017; Biology Committee – July 2017

XI. References:

Anderson, R. 1997. An evaluation of fish community structure and habitat potential for Colorado squawfish and razorback sucker in the unoccupied reach (Palisade to Rifle) of the Colorado River, 1993–1995. Final Report, Colorado Division of Wildlife, Ft. Collins.

Anderson, R. 2004. Riverine fish-flow investigations: Quantification of impacts of the 2002 drought on native populations in the Yampa and Colorado Rivers. Colorado rivers. Colorado Division of Wildlife. Federal Aid Project F-288-R-7. Job Prog. Report. Fort Collins, CO. 96 pp.

Anderson, R. M. 2005. Riverine fish-flow investigations: Quantification of impacts of the 2002 drought on native fish population in the Yampa and Colorado rivers. Colorado Division of Wildlife. Federal Aid Project F-288-R-8. Job Prog. Report. Fort Collins, CO. 105 pp.

Behnke, R. J. 1980. The impacts of habitat alterations on the endangered and threatened fishes of the Upper Colorado River Basin. Bulletin 503A. Cooperative Extension Service, Colorado State University, Ft. Collins. 34 pp.

Breton, A. R, D. L. Winkelman, J. A. Hawkins, and K. R. Bestgen. 2014. Population trends of smallmouth bass in the upper Colorado River basin with an evaluation of removal effects. Final report to the Upper Colorado River Endangered Fish Recovery Program, Denver, Colorado. Larval Fish Laboratory Contribution 169.

Burdick, B. D. 1995. Ichthyofaunal studies of the Gunnison River, Colorado, 1992–1994. Final Report. Recovery Implementation Program for the Endangered Fishes of the Upper Colorado River Basin. U.S. Fish and Wildlife, Denver, Colorado. 60 pp. plus appendices.

Burdick, B. D. 2001. Five-year evaluation of fish passage at the Redlands Diversion Dam on the Gunnison River near Grand Junction, Colorado: 1996–2000. Recovery Program Project Number CAP-4b. Final Report prepared for the Recovery Implementation Program for Endangered Fishes in the Upper Colorado River Basin. U. S. Fish and Wildlife Service, Colorado River Fishery Project, Grand Junction, CO. 57 pp. + appendices.

Burdick, B. D. 2002. Annual operation and maintenance of the fish passage structure at the Redlands Diversion Dam on the Gunnison River. Annual Project Report to the Upper Colorado River Endangered Fish Recovery Program. Project Number C-4b. U. S. Fish and Wildlife Service, Grand Junction, Colorado.

Burdick, B. D. 2003(a). Development of a channel catfish removal and control program in the Upper Colorado River of western Colorado. Annual Project Report to the Upper Colorado River Endangered Fish Recovery Program. Project Number 126. U. S. Fish and Wildlife Service, Grand Junction, Colorado.

Burdick, B. D. 2003(b). Annual operation and maintenance of the fish passage structure at the Redlands Diversion Dam on the Gunnison River. Annual Project Report to the Upper Colorado River Endangered Fish Recovery Program. Project Number C-4b. U. S. Fish and Wildlife Service, Grand Junction, Colorado.

Burdick, B. D. 2004. Evaluation of the effectiveness of the fish passage structure at the Redlands Dam. Annual report prepared for the Recovery Implementation Program for the Endangered Fishes of the Upper Colorado River Basin. Recovery Program Project Number C-4b. U. S. Fish and Wildlife Service, Colorado River Fishery Project, Grand Junction, Colorado.

Burdick, B. D. 2005(a). Annual operation and maintenance of the fish passage structures at the Redlands Diversion Dam on the Gunnison River and the Government Highline Diversion Dam on the Upper Colorado River. Annual report prepared for the Recovery Implementation Program for the Endangered Fishes of the Upper Colorado River Basin. Recovery Program Project Number C-4b. U. S. Fish and Wildlife Service, Colorado River Fishery Project, Grand Junction, Colorado.

Burdick, B. D. 2005(b). Removal of smallmouth bass in the Upper Colorado River between Price-Stubb Dam near Palisade, Colorado, and Westwater, Utah. Annual Project Report to the Upper Colorado River Endangered Fish Recovery Program. Project Number 126. U. S. Fish and Wildlife Service, Grand Junction, Colorado.

Burdick, B. D. 2006. Annual operation and maintenance of the fish passage structures at the Redlands Diversion Dam on the Gunnison River and the Government Highline Diversion Dam on the Upper Colorado River. Annual report prepared for the Recovery Implementation Program for the Endangered Fishes of the Upper Colorado River Basin. Recovery Program Project Number C-4b. U. S. Fish and Wildlife Service, Colorado River Fishery Project, Grand Junction, Colorado.

Burdick, B. D. 2007. Annual operation and maintenance of the fish passage structures at the Redlands Diversion Dam on the Gunnison River and the Government Highline Diversion Dam on the Upper Colorado River. Annual report prepared for the Recovery Implementation Program for the Endangered Fishes of the Upper Colorado River Basin. Recovery Program Project Number C-4b. U. S. Fish and Wildlife Service, Colorado River Fishery Project, Grand Junction, Colorado.

Burdick, B. D. 2008(a) Removal of smallmouth bass and four other centrarchid fishes from the Upper Colorado and Lower Gunnison rivers: 2004-2006. Final Report prepared for the Upper Colorado River Endangered Fish Recovery Program. Recovery Program Project Number 126. U. S. Fish and Wildlife Service, Colorado River Fishery Project, Grand Junction, Colorado. 61 pp + appendices.

Burdick, B. D. 2008(b). Annual operation and maintenance of the fish passage structures at the Redlands Diversion Dam on the Gunnison River and the Government Highline Diversion Dam on the Upper Colorado River. Annual report prepared for the Recovery Implementation Program for the Endangered Fishes of the Upper Colorado River Basin. Recovery Program Project Number C-4b. U. S. Fish and Wildlife Service, Colorado River Fishery Project, Grand Junction, Colorado.

Burdick, B. D. 2009. Annual operation and maintenance of the fish passage structures at the Redlands Diversion Dam on the Gunnison River and the Government Highline Diversion Dam on the Upper Colorado River. Annual report prepared for the Recovery Implementation Program for the Endangered Fishes of the Upper Colorado River Basin. Recovery Program Project Number C-4b. U. S. Fish and Wildlife Service, Colorado River Fishery Project, Grand Junction, Colorado.

Burdick, B. D. 2010(a). Annual operation and maintenance of the fish passage structures at the Redlands Diversion Dam on the Gunnison River and the Government Highline Diversion Dam on the Upper Colorado River. Annual report prepared for the Recovery Implementation Program for the Endangered Fishes of the Upper Colorado River Basin. Recovery Program Project Number C-4b. U. S. Fish and Wildlife Service, Colorado River Fishery Project, Grand Junction, Colorado.

Burdick, B. D. 2010(b). Removal of Smallmouth Bass in the Upper Colorado River between Price-Stubb Dam [Government Highline Diversion Dam] near Palisade, Colorado, and Westwater, Utah. Annual report prepared for the Recovery Implementation Program for the Endangered Fishes of the Upper Colorado River Basin. Recovery Program Project Number 126(a). U. S. Fish and Wildlife Service, Colorado River Fishery Project, Grand Junction, Colorado.

Burdick, B. D. 2011(a). Annual operation and maintenance of the fish passage structures at the Redlands Diversion Dam on the Gunnison River and the Government Highline Diversion Dam on the Upper Colorado River. Annual report prepared for the Recovery Implementation Program for the Endangered Fishes of the Upper Colorado River Basin. Recovery Program Project Number C-4b. U. S. Fish and Wildlife Service, Colorado River Fishery Project, Grand Junction, Colorado.

Burdick, B. D. 2011(b). Removal of Smallmouth Bass in the Upper Colorado River between Price-Stubb Dam [Government Highline Diversion Dam] near Palisade, Colorado, and Westwater, Utah. Annual report prepared for the Recovery Implementation Program for the Endangered Fishes of the Upper Colorado River Basin. Recovery Program Project Number 126(a). U. S. Fish and Wildlife Service, Colorado River Fishery Project, Grand Junction, Colorado.

Carlson, C. A., and R. T. Muth. 1989. Lifeline of the American Southwest. Pages 220–239 in D. P. Dodge (editor). Proceedings of the International Large Rivers Symposium. Canadian Special Publication of Fisheries and Aquatic Sciences 106.

Chapman, A. D. 1951. Some properties of the hypergeometric distribution with applications to zoological sample censuses, University of California Publ. Stat. 1(7):131–160.

Francis, T. A. 2012(a). Annual operation and maintenance of the fish passage structures at the Redlands Diversion Dam on the Gunnison River and the Government Highline Diversion Dam on the Upper Colorado River. Annual report prepared for the Recovery Implementation Program for the Endangered Fishes of the Upper Colorado River Basin.

Recovery Program Project Number C-4b. U. S. Fish and Wildlife Service, Colorado River Fishery Project, Grand Junction, Colorado.

Francis, T. A. 2012(b). Removal of Smallmouth Bass in the Upper Colorado River between Price-Stubb Dam [Government Highline Diversion Dam] near Palisade, Colorado, and Westwater, Utah. Annual report prepared for the Recovery Implementation Program for the Endangered Fishes of the Upper Colorado River Basin. Recovery Program Project Number 126(a). U. S. Fish and Wildlife Service, Colorado River Fishery Project, Grand Junction, Colorado.

Francis, T. A., and D. W. Ryden. 2013(a). Annual operation and maintenance of the fish passage structures at the Redlands Diversion Dam on the Gunnison River and the Government Highline Diversion Dam on the Upper Colorado River. Annual report prepared for the Recovery Implementation Program for the Endangered Fishes of the Upper Colorado River Basin. Recovery Program Project Number C-4b. U. S. Fish and Wildlife Service, Colorado River Fishery Project, Grand Junction, Colorado.

Francis, T. A. and D.W. Ryden. 2013(b). Removal of Smallmouth Bass in the Upper Colorado River between Price-Stubb Dam [Government Highline Diversion Dam] near Palisade, Colorado, and Westwater, Utah. Annual report prepared for the Recovery Implementation Program for the Endangered Fishes of the Upper Colorado River Basin. Recovery Program Project Number 126(a). U. S. Fish and Wildlife Service, Colorado River Fishery Project, Grand Junction, Colorado.

Francis, T. A., and D. W. Ryden. 2014(a). Annual operation and maintenance of the fish passage structures at the Redlands Diversion Dam on the Gunnison River and the Government Highline Diversion Dam on the Upper Colorado River. Annual report prepared for the Recovery Implementation Program for the Endangered Fishes of the Upper Colorado River Basin. Recovery Program Project Number C-4b. U. S. Fish and Wildlife Service, Colorado River Fishery Project, Grand Junction, Colorado.

Francis, T. A. and D.W. Ryden. 2014(b). Removal of Smallmouth Bass in the Upper Colorado River between Price-Stubb Dam [Government Highline Diversion Dam] near Palisade, Colorado, and Westwater, Utah. Annual report prepared for the Recovery Implementation Program for the Endangered Fishes of the Upper Colorado River Basin. Recovery Program Project Number 126(a). U. S. Fish and Wildlife Service, Colorado River Fishery Project, Grand Junction, Colorado.

Francis, T. A., and D. W. Ryden. 2015. Annual operation and maintenance of the fish passage structures at the Redlands Diversion Dam on the Gunnison River and the Government Highline Diversion Dam on the Upper Colorado River. Annual report prepared for the Recovery Implementation Program for the Endangered Fishes of the Upper Colorado River Basin. Recovery Program Project Number C-4b. U. S. Fish and Wildlife Service, Colorado River Fishery Project, Grand Junction, Colorado.

Francis, T. A., and D. W. Ryden. 2016(a). Annual operation and maintenance of the fish passage structures at the Redlands Diversion Dam on the Gunnison River and the

Government Highline Diversion Dam on the Upper Colorado River. Annual report prepared for the Recovery Implementation Program for the Endangered Fishes of the Upper Colorado River Basin. Recovery Program Project Number C-4b. U. S. Fish and Wildlife Service, Colorado River Fishery Project, Grand Junction, Colorado.

Francis, T. A. and D.W. Ryden. 2016(b). Removal of Non-native Fish in the Upper Colorado River between Grand Valley Water User's Dam [Government Highline Diversion Dam] near Palisade, Colorado, and Potash, Utah. Annual report prepared for the Recovery Implementation Program for the Endangered Fishes of the Upper Colorado River Basin. Recovery Program Project Number 126(a). U. S. Fish and Wildlife Service, Colorado River Fishery Project, Grand Junction, Colorado.

Hawkins, J. A., and T. P. Nesler. 1991. Nonnative fishes in the upper Colorado River basin: an issue paper. Colorado State University, Ft. Collins. 72 pp.

Johnson, B.M., B. Wolf, and P.J. Martinez. 2014. Chemically Fingerprinting Nonnative Fish in Reservoirs. Final Report of Project C18/19 to the Upper Colorado River Endangered Fish Recovery Program.

Johnson, J. E., M. G. Pardew, and M. M. Lyttle. 1993. Predation recognition and avoidance by larval razorback sucker and northern hog sucker. Transactions of the American Fisheries Society 122:1139–1145.

Joseph, T. W., J. A. Sinning, R. J. Behnke, and P. B. Holden. 1977. An evaluation of the status, life history, and habitat requirements of endangered and threatened fishes of the Upper Colorado River Basin. Report FWS/OBS-772, U. S. Fish and Wildlife Service, Ft. Collins, CO.

Karp, C. A., and H. M Tyus. 1990. Behavior and interspecific interactions of Colorado pikeminnow [squawfish] *Ptychocheilus lucius*, and five other fish species. Copeia 1990:25–34.

Lentsch, L. D., R. Muth, P. D. Thompson, T. A. Crowl, and B. G. Hoskins. 1996. Options for selectively controlling non-indigenous fish in the Upper Colorado River Basin. Final Report. Publication 96–14, Utah Department of Natural Resources, Division of Wildlife Resources, Salt Lake City.

Maddux, H. R., L. A. Fitzpatrick, and W. R. Noonan. 1993. Colorado River endangered fishes and critical habitat: Biological Support Document. U.S. Fish and Wildlife Service, Salt Lake City, UT. 225 pp.

Minckley, W. L. 1982. Trophic interrelations among introduced fishes in the lower Colorado River, Southwestern United States. California Fish and Game 68(2):78–89.

Minckley, W. L., and J. E. Deacon. 1991. Battle against extinction: native fish management in the American West. University of Arizona Press, Tucson, AZ. 517 pp.

Minckley, W. L., P. C. Marsh, J. E. Brooks, J. E. Johnson, and B. L. Jensen. 1991. Management toward recovery of the razorback sucker. Pages 303–358 in W.L. Minckley and J.E. Deacon eds. *Battle against extinction*. University of Arizona Press, Tucson.

Osmundson, D. B., and L. R. Kaeding. 1989. Studies of Colorado pikeminnow [squawfish] and razorback sucker use of the "15-Mile Reach" of the upper Colorado River as part of conservation measures for the Green Mountain and Ruedi reservoir water sales. Final Report. Colorado River Fishery Project, U. S. Fish and Wildlife Service, Grand Junction, CO. 85 pp.

Papoulias, D. and W. L. Minckley. 1990. Food limited survival of larval razorback sucker, *Xyrauchen texanus*, in the laboratory. *Environmental Biology of Fishes* 29: 73–78.

Pollock, K. H., J. D. Nichols, C. Brownie, and J. E. Hines. 1990. Statistical inference for capture-recapture experiments. *Wildlife Monographs* 107.

Quarterone, F. 1993. Historical accounts of Upper Colorado River basin endangered fish. Colorado Division of Wildlife, Denver, 66 pages.

Ruppert, J. B., R. T. Muth, and T. P. Nesler. 1993. Predation on fish larvae by adult red shiner, Yampa and Green rivers, Colorado. *The Southwestern Naturalist* 38:397–399.

Tyus, H. M., B. D. Burdick, R. A. Valdez, C. M. Haynes, T. A. Lytle, and C. R. Berry. 1982. Fishes of the Upper Colorado River Basin: distribution, abundance, and status. Pages 12–70, in W.H. Miller, H.M. Tyus, and C.A. Carlson (eds). *Fishes of the Upper Colorado River System: Present and Future*. Fishes of the Upper Colorado River Basin: distribution, abundance, and status. American Fisheries Society, Bethesda, MD.

Tyus, H. M. and J. F. Saunders, III. 1996. Nonnative fishes in natural ecosystems and a strategic plan for control of nonnatives in the Upper Colorado River Basin. Draft Report. Center for Limnology, University of Colorado, Boulder, Colorado. For the Recovery Implementation Program for Endangered fish Species in the Upper Colorado River Basin. Cooperative Agreement No. 14–48–0006–923, U.S. Fish and Wildlife Service, Denver, Colorado.

Valdez, R. A., P. G. Mangan, R. P. Smith, and B. Nilson. 1982. Upper Colorado River investigations. Pages 101–279 in W. H. Miller et al., editors. Colorado River Fishery Project., Final Report; Part Two, Field Studies. U. S. Fish and Wildlife Service and Bureau of Reclamation. Salt Lake City, UT.

White, G. C., D. R. Anderson, K. P. Burnham, and D. L. Otis. 1982. Capture-recapture and removal methods for sampling closed populations. Los Alamos National Laboratory, Los Alamos, New Mexico. LA-8787-NERP. 235 pp.

Wiltzius, W. J. 1978. Some factors historically affecting the distribution and abundance of fishes in the Gunnison River. Colorado Division of Wildlife, Ft. Collins. 215 pp.

Zelasko, K. A., K. R. Bestgen, J. A. Hawkins, G. C. White. 2014. Abundance and population dynamics of invasive northern pike *Esox lucius*, Yampa River, Colorado, 2004–2010. Final Report to the Upper Colorado River Endangered Fish Recovery Program, Project 161b, Denver. Larval Fish Laboratory Contribution 185.